

## Lexmark XC2130 Family Colour Laser MFP-s



XC2130

### Robust. Reliable Performance.



Color



Duplex  
Printing



Solutions



Duplex  
RADF



Up to  
30 ppm



Security



Colour Touch  
Screen



Network



Fax

**LEXMARK**<sup>TM</sup>



## Lexmark XC2130 Family



### Why Lexmark.

Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high quality products, solutions, and services help improve productivity, increase efficiency and empower employees to perform at their best.



### Eco-responsible.

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high quality output with reliable performance. And at the same time, help you minimise the number of cartridges you use over the life of a printer and conserve paper and energy.

The Lexmark Cartridge Collection Programme provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Programme availability and details vary by country.



### Environmental protection is a shared responsibility.

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

### Our memberships include

- AeA Europe
- Ecma International
- Electronics Industry Citizenship Coalition (EICC)
- DIGITALEUROPE
- European Information & Communications Technology Industry Association (EICTA)
- Information Technology Industry Council (ITI) Environmental Leadership Council



## Lexmark XC2130 Family Overview



**Powerful performance.** The Lexmark XC2130 Family multifunction systems will help propel your business forward. Our solutions capable, eco-friendly systems can simplify processes and help you quickly respond to changing business needs.

- Process even the most complex jobs utilising the 800MHz dual-core processing power and up to 3GB of memory, with print and copy speeds up to 30 ppm with time to first page in as little as 10.8 seconds; in black (monochrome)
- Produce professional colour in-house, on demand output with a system that delivers consistent image quality on a diverse range of materials
- Advanced copy functions let you interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job



**Accurate Colour.** The Lexmark XC2130 Family delivers rich, consistent colour printing that can enhance your company's materials and brand. It's faster and more reliable than ever.

- Professional colour matching - Lexmark Named Colour Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurate colour matching
- High resolution graphics - with up to true 1200x1200 dpi resolution, images and graphics stay crisp. Lexmark's Unison™ Toner ensures consistent quality, too
- Super fast and quiet output - quickly print, copy and scan up to 30 pages per minute, plus produce a 1-page colour document in as little as 11.5 seconds in colour



**Easy and intuitive.** The Lexmark XC2130 Family is designed for easy operation to allow you to stay focused on customer engagements instead of routine maintenance.

- Easy to navigate touch screen provides audible feedback to make completing tasks intuitive, and with print and scan preview features (scan preview only available on XC2132) you can select documents or specific pages within a document
- Extend your environmental responsibility with energy-efficient settings such as the Sleep Button and Hibernate Mode, and instant warm-up fuser helps reduce energy consumption and improve time to first page
- Manage your devices with available software, scan to multiple destinations, including scan to network, email, FTP, fax, and more
- For higher volume print needs, optional input capacity can be added to keep jobs moving



## Automate Critical Processes

Our solutions are designed with your productivity in mind. The Lexmark XC2130 Family lets you interact with business applications directly on the device or with a server, on premise or hosted in the cloud. Reduce unnecessary printing and simplify work processes with Lexmark solutions.

## Lexmark XC2130 Family Solutions

**Navigate to efficiency.** The Lexmark colour touch screen is a key access point to your device. The customisable interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.



The following are examples of preloaded solutions on XC2130 Family Colour Laser MFP-s.



### Multi Send (only on XC2132)

Capture and route a document to multiple destinations simultaneously and print a copy if you choose. Documents can be routed to email, network folders, or FTP sites.



### Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



### Scan to Network Basic

Scan a hard copy document and route the image to one of 30 predefined or public shared network folders.



### Customer Support

Easily send information about your device to your authorized dealer.

Additional Lexmark solutions are available through your authorised Lexmark Business Solutions Dealers.



## Lexmark XC2130 Family Vertical Solutions



### Professional quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment – where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data, and deliver information to the right place, at the right time, and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions\*.

\* Optional software available. Licensing fees may apply.



### Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

**Device management.** Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec), and 802.1x support to remotely monitor and manage device usage.

**Device hardening.** Includes port filtering, TCP connection filtering, hard disk encryption (only available on XC2132), hard disk wiping (only available on XC2132) and digitally signed firmware updates that enhance the security of the device's network interface.

**Device operation.** Reduce vulnerabilities with authentication and authorisation features, address book lookup via LDAP over SSL and device lockout for protection of user information.

### Lexmark has shown its strength and leadership with respect to security.

- Forming and chairing the group that created the IEEE 2600 standards for security on hard copy devices.
- Becoming the first hard copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation.



# Lexmark XC2130 Family Key Features

## Features that help you optimise your work



XC2130 with 10.9 cm (4.3-inch) colour touch screen



XC2132 with 17.8 cm (7-inch) colour touch screen



### 1) Intuitive colour touch screen

Operate your device with ease through smart and intuitive navigation. Receive audible and tactile feedback when you use the touch screen.



### 2) Flexible media handling

Print on a wide range of media with built-in 2-sided printing. Add additional input capacity up to 1450 pages for higher volume output needs.



### 3) Professional Colour Matching

Lexmark Named Colour Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurately matching your colours.



### 4) Automatic document feeder

Save time by scanning both sides of your document with robust colour-scanning capabilities.



### 5) Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning and is compatible with most printable image file formats.



### 6) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



### 7) Innovative Unison™ Toner


Get advance toner science, powerful enough to deliver consistently outstanding image quality with a shake free print system.



### 8) Eco-friendly features

Easy-to-access features like Eco-Mode to reduce paper and toner consumption, the Sleep Button and Hibernate Mode make it easy to print responsibly and help you save energy.

# Lexmark XC2130 Family Ordering Information



- Standard
- Optional

## XC2130 Family

Part #	Model
38C2967	Lexmark XC2130
28E0612	Lexmark XC2132
Part #	Laser Toner/Print Cartridge
24B6011	Black Toner Cartridge
24B6008	Cyan Toner Cartridge
24B6009	Magenta Toner Cartridge
24B6010	Yellow Toner Cartridge
70C0Z10	700Z1 Black Imaging Kit (40k)
70C0Z50	700Z5 Black and Colour Imaging Kit (40k)
70C0D10	700D1 Black Developer Unit (40k)
70C0D20	700D2 Cyan Developer Unit (40k)
70C0D30	700D3 Magenta Developer Unit (40k)
70C0D40	700D4 Yellow Developer Unit (40k)
70C0P00	700P Photoconductor Unit (40k)
C540X75G	Waste Toner Bottle (18K)
Part #	Paper Handling
38C0626	550-Sheet Duo Tray with 100-Sheet Feeder
38C0636	550-Sheet Tray
Part #	Furniture
35S8502	Adjustable Stand
3073173	Swivel Cabinet

Part #	Memory Options
57X9016	1024MBx32 DDR3-DRAM
57X9012	2048MBx32 DDR3-DRAM
57X9101	256MB Flash Memory Card
57X9115	Japanese Font Card
57X9114	Korean Font Card
57X9112	Simplified Chinese Font Card
57X9110	Traditional Chinese Font Card
Part #	Application Solutions
38C5053	CX410 Card for PRESCRIBE Emulation (XC2130)*
38C5052	CX410 Forms and Bar Code Card (XC2130)*
38C5054	CX510 Forms and Bar Code Card (XC2132)*
38C5055	CX510 Card for PRESCRIBE Emulation (XC2132)*
Part #	Connectivity
1021294	USB (2 Meter) Cable
27X0125	MarkNet N8352 802.11b/g/n Wireless Print Server Kit
Part #	User Replaceable Parts
40X9110	ADF Pick Roll pad
Part #	Service Parts
40X7615	Fuser Maintenance kit, 110-120V

40X7616	Fuser Maintenance kit, 220-240V
40X7610	Image Transfer Unit
40X7622	Fuser, 110-120V
40X7623	Fuser, 220-240V
40X9108	ADF Separator Roller

\* Available on this model

# Lexmark XC2130 Family Product Specifications



Product specifications	Lexmark XC2130		Lexmark XC2132	
<b>Printing</b>				
Function	Colour Printing, Colour Scanning, Colour Faxing, Colour Copying			
Display	Lexmark e-Task 10.9 cm (4,3-inch) colour touch screen	Lexmark e-Task 17.8 cm (7-inch) colour touch screen		
Print Speed: Up to <sup>3</sup>	Black: 30 ppm / Colour: 30 ppm			
Time to First Page: As fast as	Black: 10.5 seconds / Colour: 11.5 seconds			
Print Resolution	Black: 4800 Colour Quality (2400 x 600 dpi), 1200 x 1200 dpi / Colour: 4800 Colour Quality (2400 x 600 dpi), 1200 x 1200 dpi			
Memory / Processor	Standard: 512 MB / Maximum: 2560 MB / Processor: Dual Core, 800 MHz	Standard: 1024 MB / Maximum: 3072 MB / Processor: Dual Core, 800 MHz		
Hard Disk	Not Available	Included in configuration		
Recommended Monthly Page Volume <sup>2</sup>	800 - 6000 pages	1500 - 7000 pages		
<b>Copying</b>				
Copy Speed: Up to <sup>3</sup>	Black: 30 cpm / Colour: 30 cpm			
Time to First Copy: As fast as	Black: 10.8 seconds / Colour: 11.6 seconds			
Reduce / Enlarge Range	25 - 400%			
<b>Colour Scanning</b>				
Duplex Scan Speed: Up to	A4/Ltr, Black: 13 / 14 sides per minute - A4/Ltr, Colour: 13 / 14 sides per minute			
Simplex Scan Speed: Up to	A4/Ltr, Black: 30 / 32 sides per minute - A4/Ltr, Colour: 30 / 32 sides per minute			
Scanner Type / ADF Scan	Flatbed scanner with ADF / RADF (reversing Duplex) / 50 pages 75 gsm bond			
Optical Scanning Resolution	1200 X 600 ppi (black), 600 X 600 ppi (colour)			
<b>Faxing</b>				
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps			
<b>Supplies</b>				
Laser Cartridge Yields <sup>1</sup>	3,000-page Colour (CMY) Extra High Yield Cartridges, 6,000-page Black Extra High Yield Cartridge	6,000-page Black Extra High Yield Cartridge, 3,000-page Colour (CMY) Extra High Yield Cartridges		
Cartridge(s) Shipping with Product <sup>4</sup>	1,400-page Black and Colour (CMYK) Starter Return Program Toner Cartridges	8,000-page Black Extra High Yield Return Program Toner Cartridge, 4,000-page Colour (CMY) Extra High Yield Return Program Toner Cartridges		
<b>Paper Handling</b>				
Included Paper Handling	Integrated Duplex, 250-Sheet Input, 150-Sheet Output Bin, Single-Sheet Manual Feed	Integrated Duplex, Single-Sheet Manual Feed, 150-Sheet Output Bin, 250-Sheet Input		
Optional Paper Handling	550-Sheet Tray, 550-Sheet Duo Tray with 100-Sheet Feeder	550-Sheet Duo Tray with 100-Sheet Feeder, 550-Sheet Tray		
Paper Input Capacity: Up to	Standard: 250+1 pages 75 gsm bond / Maximum: 1450+1 pages 75 gsm bond			
Paper Output Capacity: Up to	Standard: 150 pages 75 gsm bond / Maximum: 150 pages 75 gsm bond			
Media Types Supported	Card Stock, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide			
Media Sizes Supported	Universal, Oficio, Letter, A4, A5, Executive, Folio, JIS-B5, Legal			
<b>General</b>				
Connectivity (standard)	Front USB 2.0 Specification Hi-Speed Certified port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B)	Front USB 2.0 Specification Hi-Speed Certified port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B), Rear USB 2.0 Specification Hi-Speed Certified port (Type A)		
Optional Network Ports / Optional Local Ports	MarkNet N8352 802.11b/g/n Wireless			
Noise Level, Operating	Print: 49 dBA / Copy: 50 dBA / Scan: 50 dBA	Print: 50 dBA / Copy: 50 dBA / Scan: 49 dBA		
ENERGY STAR	Yes			
Specified Operating Environment	Altitude: 0 - 2896 Meters (9,500 Feet), Humidity: 8 to 80% Relative Humidity, Temperature: 16 to 32°C (60 to 90°F)			
Size (mm. - H x W x D) / Weight (kg)	470 x 444 x 558 mm / 27.39 kg	470 x 444 x 589 mm / 28.2 kg		

<sup>1</sup> Yield at approximately 5% print coverage per colour. <sup>2</sup> "Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>3</sup> Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>4</sup> Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.



Unison is a trademark of Lexmark International, Inc. AirPrint and the AirPrint logo are trademarks of Apple Inc. PANTONE® is a registered trademark of Pantone, Inc. Information in this document is subject to change without notice. ENERGY STAR® is a U.S. registered mark. All other trademarks are the property of their respective owners. Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries.

**LEXMARK**